

PRODUCT DESCRIPTION

- Easy assembly and disassembly of the lighting fixture
- Easy wiring

FINISH :

- Silver anodized
- *Custom colors available upon request

Fill empty fields



Product nr.

Fixture type

Company

Job name

Date

TECHNICAL SPECIFICATION

Application

- for construction of fixtures illuminating at a 30-degree angle
- for placing in internal 90° corners (cabinet wall, ceiling wall, wall wall, etc.)

Assembly

- on a mounting strip fastened with screws appropriately selected for the mounting surface

Additional information


- the mounting strip can be used in sections
- space for LED strip: 21.8 mm

AVAILABLE LENGTHS

Ref. nr.	surface finish	available lengths
18015ANODA_1	Silver anodized	1000 mm
18015ANODA_2	Silver anodized	2000 mm
18015ANODA_3	Silver anodized	3000 mm



TECHNICAL DRAWING





RELATED PRODUCTS

COVERS



G-K frosted Cover Ref: 17007



G-L semi-transparent Cover Ref: 17008



G-K semi-transparent Cover Ref: 00415



HS-22 clear Cover Ref: 17022






HS-22 frosted Cover Ref: 17011 110°



G-L frosted Cover Ref: 00413



LIGER-22 black Cover Ref: 17044



LIGER-22 frosted Cover Ref: 17032V1





MUN-22 semi-transparent Cover Ref: 17042 100°



END CAPS



LOC-30-L grey End cap Ref: 24023

I LUL LOC-30-P grey

End cap Ref: 24022

ACCESSORIES






Gland 6,4x3 Ref: 42264



cover black

MP-22 metallized MP-22 white Masking cover Ref: 17167L9005 Ref: 17167



Masking cover Ref: 17167L9010



TEKNIK Latch Ref: 24003

LED TAPES

(sæsten Xaæsten-Kaæs	2-3 3 1 3 4 3 1 0 3 1 0 1 0 	A	हिंस्स स ाक्ष स्य सम्
LED strip K-1210-12V 4.8 W/m Ref: K-1210-12V	LED strip K-1210-24V 4.8W/m Ref: K-1210-24V	LED strip K-1215- RGB-12V 7.2W/m Ref: K-1215- RGB-12V	LED strip K-1215- RGB-24V 7.2W/m Ref: K-1215- RGB-24V
[seni()@n()eni()@n()eni()	(n no (n no)), note (no)), non (1	jungungungungung
LED strip K-1220-12V 9.6W/m Ref: K-1220-12V	LED strip K-1220-24V 9.6W/m Ref: K-1220-24V	LED strip K-1225- RGB-12V 11.5W/m Ref: K-1225- RGB-12V	LED strip K-1275-12V 14.4W/m Ref: K-1275-12V
[សារអន់សារព័រ]លាល (សារព័រ] លោកខ្ញុំ			
LED strip K-1275-24V 14.4W/m Ref: K-1275-24V	LED strip K-1275- RGB-12V 14.4W/m Ref: K-1275- RGB-12V	LED strip K-1275- RGB-24V 14.4W/m Ref: K-1275- RGB-24V	LED strip K-1530- RGB+W-24V Ref: K-1530- RGB+W-24V



fringen Singen Sing	(n in syn am sign i syn am sign i syn	Didet Didet Dide	<u>jenen</u> d()jenend
LED strip K-1820-	LED strip K-1910-	LED strip	LED strip K-

LED strip K-1820-HD-24V 18.2W/m Ref: K-1820-HD-24V

LED strip K-1910-
HD-24V 9.1W/m
Ref: K-1910-
HD-24V

LED strip K-1920-120-RGB-24V LR-1000-24V 19.2W/m Ref: K-1920-120-RGB-24V



10W/m Ref: K-LR-1000-24V



LED strip WP-K-1225-RGB-24V 11.5W/m Ref: WP-K-1225-RGB-24V

MARKETING MATERIALS



Ref: 90079M

Display P230-90079M



Presentation set 1 Ref: 90051

