

#### PRODUCT DESCRIPTION

- Illumination of niches of any thickness, depth and height
- Can be mounted at any distance from the edge of the niche

#### FINISH:

Non anodized (raw)



\*Custom colors available upon request



Fill empty fields

Product nr.

Fixture type

Company

Job name

Date

#### **TECHNICAL SPECIFICATION**

### **Application**

- ambient lighting of architectural niches located a short distance from the wall and directed towards it

#### **Assembly**

- using screws appropriately selected for the mounting surface


#### **Additional information**

- can be mounted horizontally or vertically
- the light source is placed in the easily disassembled ONISA lighting fixture
- space for LED strip: 11.2 mm

# **AVAILABLE LENGTHS**

Ref. nr.	surface finish	available lengths
18027NA_1	Non anodized (raw)	1000 mm
18027NA_2	Non anodized (raw)	2000 mm

## **TECHNICAL DRAWING**





## **RELATED PRODUCTS**

## **COVERS**



HS clear Cover HS cieai C Ref: 1370 110°



HS frosted Cover Ref: 1369 110°



KA clear Cover Ref: 17036



KA frosted Cover Ref: 17035



KA-COM clear Cover Ref: 17122



KA-COM frosted Cover KA-PRO clear Cover Ref: 17121 110°



Ref: 17065 **100**°



KA-PRO frosted Cover Ref: 17064 110°









LIGER frosted Cover Ref: 17037 120°



## **END CAPS**



ONISA grey End cap Ref: 24100



#### **ACCESSORIES**



6x1,2 Gland Ref: 00802



ZM-NA-120 Connector Ref: 42729



ZM-NA-135 Connector Ref: 42725



ZM-NA-180 Connector Ref: 42724



ZM-NA-45 Connector Ref: 42339



ZM-NA-90 Connector Ref: 42723



ZM-NA-PION-120 Connector Ref: 42321



ZM-NA-PION-135 Connector Ref: 42727



ZM-NA-PION-45 Connector Ref: 42315



ZM-NA-PION-60 Connector Ref: 42317



ZM-NA-PION-90 Connector Ref: 42726

## **LED TAPES**



LED strip K-1210-12V 4.8 W/m Ref: K-1210-12V



LED strip K-1210-24V 4.8W/m Ref: K-1210-24V



LED strip K-1215-RGB-12V 7.2W/m Ref: K-1215-RGB-12V



LED strip K-1215-RGB-24V 7.2W/m Ref: K-1215-RGB-24V



LED strip K-1220-12V 9.6W/m Ref: K-1220-12V



LED strip K-1220-24V 9.6W/m Ref: K-1220-24V



LED strip K-1225-RGB-12V 11.5W/m Ref: K-1225-RGB-12V



LED strip K-1225-RGB-24V 11.5W/m Ref: K-1225-RGB-24V





LED strip K-1275-12V 14.4W/m Ref: K-1275-12V



LED strip K-1275-24V 14.4W/m Ref: K-1275-24V



LED strip K-1275-RGB-12V 14.4W/m Ref: K-1275-RGB-12V



LED strip K-1275-RGB-24V 14.4W/m Ref: K-1275-RGB-24V



LED strip K-1530-RGB+W-24V Ref: K-1530-RGB+W-24V



LED strip K-1820-HD-24V 18.2W/m Ref: K-1820-HD-24V



LED strip K-1910-HD-24V 9.1W/m Ref: K-1910-HD-24V



LED strip K-1920-120-RGB-24V 19.2W/m Ref: K-1920-120-RGB-24V



LED strip K-22/50-1728-24V 17.28W/m Ref: K-22/50-1728-24V



LED strip K-27/65-1920-24V 19.2W/m Ref: K-27/65-1920-24V



LED strip K-30/18-1770-24V 11.5W/m Ref: K-30/18-1770-24V



LED strip K-LR-1000-24V 10W/m Ref: K-LR-1000-24V



LED strip LED WP-K-1220-24V 9.6W/m Ref: WP-K-1220-24V



LED strip WP-1640-HD-IP65-24V 16.4W/m Ref: WP-K-1640-HD-IP65-24V



LED strip WP-K-1210-12V 4.8W/m Ref: WP-K-1210-12V



LED strip WP-K-1210-24V 4.8W/m Ref: WP-K-1210-24V



LED strip WP-K-1220-IP65-12V 9.6W/m Ref: WP-K-1220-IP65-12V



LED strip WP-K-1220-IP65-24V 9.6 W/m Ref: WP-K-1220-IP65-24V



LED strip WP-K-1275-12V 14.4W/m Ref: WP-K-1275-12V



LED strip WP-K-1275-24V 14.4W/m Ref: WP-K-1275-24V





LED strip WP-K-1920-120-RGB-24V 19.2W/m Ref: WP-K-1920-120-RGB-24V



LED strip WP-K-27/65-1920-24V 19.2W/m Ref: WP-K-27/65-1920-24V



Taśma LED WP-K-1220-12V 9.6W/m Ref: WP-K-1220-12V



Taśma LED WP-K-1910-HD-IP65-24V 9.1W/m Ref: WP-K-1910-HD-IP65-24V

## MARKETING MATERIALS



Display P230-90118M Ref: 90118M



Presentation set 5 Ref: 90124