

PRODUCT DESCRIPTION

- Illumination of niches with the effect of a thin edge of a suspended ceiling
- Can direct light to the ceiling or wall

FINISH :

Non anodized (raw) 

*Custom colors available upon request



Fill empty fields

Product nr.

Fixture type

Company

Job name

Date

TECHNICAL SPECIFICATION

Application

- ambient lighting of architectural niches located a short distance from the wall and directed towards it

Assembly

- using screws appropriately selected for the mounting surface


Additional information

- can be mounted horizontally or vertically
- the light source is placed in the easily disassembled ONISA lighting fixture
- space for LED strip: 11.2 mm

AVAILABLE LENGTHS


| Ref. nr. | surface finish | available lengths |
|-----------|--------------------|-------------------|
| 18029NA_1 | Non anodized (raw) | 1000 mm |
| 18029NA_2 | Non anodized (raw) | 2000 mm |
| 18029NA_3 | Non anodized (raw) | 3000 mm |

TECHNICAL DRAWING





RELATED PRODUCTS

COVERS





HS clear Cover
Ref: 1370

110°





HS frosted Cover
Ref: 1369

110°





KA clear Cover
Ref: 17036

110°




KA frosted Cover
Ref: 17035

110°





KA-COM clear Cover
Ref: 17122

100°




KA-COM frosted Cover
Ref: 17121

110°





KA-PRO clear Cover
Ref: 17065

100°



KA-PRO frosted Cover
Ref: 17064

110°




LIGER frosted Cover
Ref: 17037

120°



END CAPS




ONISA grey End
cap
Ref: 24100

ACCESSORIES




6x1,2 Gland
Ref: 00802




ZM-NA-120
Connector
Ref: 42729




ZM-NA-135
Connector
Ref: 42725



ZM-NA-180
Connector
Ref: 42724




ZM-NA-45
Connector
Ref: 42339



ZM-NA-90
Connector
Ref: 42723




ZM-NA-PION-120
Connector
Ref: 42321




ZM-NA-PION-135
Connector
Ref: 42727



ZM-NA-PION-45
Connector
Ref: 42315




ZM-NA-PION-60
Connector
Ref: 42317




ZM-NA-PION-90
Connector
Ref: 42726


LED TAPES




LED strip K-1210-12V
4.8 W/m
Ref: K-1210-12V



LED strip K-1210-24V
4.8W/m
Ref: K-1210-24V



LED strip K-1215-
RGB-12V 7.2W/m
Ref: K-1215-
RGB-12V




LED strip K-1215-
RGB-24V 7.2W/m
Ref: K-1215-RGB-24V




LED strip K-1220-12V
9.6W/m
Ref: K-1220-12V




LED strip K-1220-24V
9.6W/m
Ref: K-1220-24V




LED strip K-1225-
RGB-12V
11.5W/m
Ref: K-1225-
RGB-12V




LED strip K-1225-
RGB-24V 11.5W/m
Ref: K-1225-RGB-24V




LED strip K-1275-12V
14.4W/m
Ref: K-1275-12V




LED strip K-1275-24V
14.4W/m
Ref: K-1275-24V




LED strip K-1275-
RGB-12V
14.4W/m
Ref: K-1275-
RGB-12V




LED strip K-1275-
RGB-24V 14.4W/m
Ref: K-1275-RGB-24V




LED strip K-1530-
RGB+W-24V
Ref: K-1530-RGB+W-24V




LED strip K-1820-
HD-24V 18.2W/m
Ref: K-1820-HD-24V




LED strip K-1910-
HD-24V 9.1W/m
Ref: K-1910-
HD-24V




LED strip K-1920-120-
RGB-24V 19.2W/m
Ref: K-1920-120-
RGB-24V



LED strip
K-22/50-1728-24V
17.28W/m
Ref: K-22/50-1728-24V




LED strip
K-27/65-1920-24V
19.2W/m
Ref: K-27/65-1920-24V




LED strip
K-30/18-1770-24V
11.5W/m
Ref:
K-30/18-1770-24V




LED strip K-
LR-1000-24V 10W/m
Ref: K-LR-1000-24V



LED strip LED WP-
K-1220-24V 9.6W/m
Ref: WP-K-1220-24V




LED strip WP-1640-HD-
IP65-24V 16.4W/m
Ref: WP-K-1640-HD-
IP65-24V




LED strip WP-
K-1210-12V
4.8W/m
Ref: WP-
K-1210-12V




LED strip WP-
K-1210-24V 4.8W/m
Ref: WP-K-1210-24V




LED strip WP-K-1220-
IP65-12V 9.6 W/m
Ref: WP-K-1220-
IP65-12V




LED strip WP-K-1220-
IP65-24V 9.6 W/m
Ref: WP-K-1220-
IP65-24V



LED strip WP-
K-1275-12V
14.4W/m
Ref: WP-
K-1275-12V



LED strip WP-
K-1275-24V 14.4W/m
Ref: WP-K-1275-24V




LED strip WP-
K-1920-120-RGB-24V
19.2W/m
Ref: WP-K-1920-120-
RGB-24V



LED strip WP-
K-27/65-1920-24V
19.2W/m
Ref: WP-
K-27/65-1920-24V



Taśma LED WP-
K-1220-12V
9.6W/m
Ref: WP-
K-1220-12V



Taśma LED WP-K-1910-
HD-IP65-24V 9.1W/m
Ref: WP-K-1910-HD-
IP65-24V

MARKETING MATERIALS



Presentation set 5
Ref: 90124