

PRODUCT DESCRIPTION

The profile is part of the system **MOD-KOL-50**.

FINISH :

Silver anodized ☐

*Custom colors available upon request

Fill empty fields


Product nr.

Fixture type

Company

Job name

Date



TECHNICAL SPECIFICATION

Additional information


Profile components: RAM-KOL-50

.tg {border-collapse:collapse;border-spacing:0;} .tg td{font-family:Arial, sans-serif;font-size:14px;padding:10px 5px;border-style:solid;border-width:1px;overflow:hidden;word-break:normal;border-color:black;} .tg th{font-family:Arial, sans-serif;font-size:14px;font-weight:normal;padding:10px 5px;border-style:solid;border-width:1px;overflow:hidden;word-break:normal;border-color:black;} .tg .tg-ba9h{text-align:center;vertical-align:top} .tg .tg-gqep{font-family:Verdana, Geneva, sans-serif !important;text-align:left;vertical-align:top} .tg .tg-0lax{text-align:left;vertical-align:top} .tg {border-collapse:collapse;border-spacing:0;} .tg td{font-family:Arial, sans-serif;font-size:14px;padding:10px 5px;border-style:solid;border-width:1px;overflow:hidden;word-break:normal;border-color:black;} .tg th{font-family:Arial, sans-serif;font-size:14px;font-weight:normal;padding:10px 5px;border-style:solid;border-width:1px;overflow:hidden;word-break:normal;border-color:black;} .tg .tg-ba9h{text-align:center;vertical-align:top} .tg .tg-gqep{font-family:Verdana, Geneva, sans-serif !important;text-align:left;vertical-align:top} .tg .tg-0lax{text-align:left;vertical-align:top} .tg {border-collapse:collapse;border-spacing:0;} .tg td{border-color:black;border-style:solid;border-width:1px;font-family:Arial, sans-serif;font-size:14px; overflow:hidden;padding:10px 5px;word-break:normal;} .tg th{border-color:black;border-style:solid;border-width:1px;font-family:Arial, sans-serif;font-size:14px; font-weight:normal;overflow:hidden;padding:10px 5px;word-break:normal;} .tg .tg-zkvf{background-color:rgb(255, 255, 255);color:rgb(146, 146, 146);font-family:Tahoma, Geneva, sans-serif !important;; font-size:10px;font-weight:bold;text-align:left;vertical-align:top} .tg .tg-kngk{background-color:rgb(255, 255, 255);color:rgb(146, 146, 146);font-family:Tahoma, Geneva, sans-serif !important;; font-size:10px;text-align:left;vertical-align:top}

Name of the element	for length: 1 m	for length: 2 m	for length: 3 m
MOD-KR-KOL Profile	2 x 1 m	2 x 2 m	2 x 3 m
MOD-MOS-50 Profile	3 pcs.	5 pcs.	7 pcs.
KR Spring	6 pcs.	10 pcs.	14 pcs.
RAM-1 Spring	6 pcs.	10 pcs.	14 pcs.

* For lengths longer than 3 m, please contact the sales department for more information regarding the amount of accessories needed.

Scheme: RAM-KOL-50 Profile



Assembling: : RAM-KOL-50




```
.tg {border-collapse:collapse;border-spacing:0;} .tg td{font-family:Arial, sans-serif;font-size:14px;padding:10px 5px;border-style:solid;border-width:1px;overflow:hidden;word-break:normal;border-color:black;} .tg th{font-family:Arial, sans-serif;font-size:14px;font-weight:normal;padding:10px 5px;border-style:solid;border-width:1px;overflow:hidden;word-break:normal;border-color:black;} .tg .tg-baqh{text-align:center;vertical-align:top} .tg .tg-gqep{font-family:Verdana, Geneva, sans-serif !important;text-align:left;vertical-align:top} .tg .tg-0lax{text-align:left;vertical-align:top}
```

```
.tg {border-collapse:collapse;border-spacing:0;} .tg td{font-family:Arial, sans-serif;font-size:14px;padding:10px 5px;border-style:solid;border-width:1px;overflow:hidden;word-break:normal;border-color:black;} .tg th{font-family:Arial, sans-serif;font-size:14px;font-weight:normal;padding:10px 5px;border-style:solid;border-width:1px;overflow:hidden;word-break:normal;border-color:black;} .tg .tg-baqh{text-align:center;vertical-align:top} .tg .tg-gqep{font-family:Verdana, Geneva, sans-serif !important;text-align:left;vertical-align:top} .tg .tg-0lax{text-align:left;vertical-align:top}
```

AVAILABLE LENGTHS

Ref. nr.	surface finish	available lengths
18060ANODA_1	Silver anodized	1000 mm
18060ANODA_2	Silver anodized	2000 mm
18060ANODA_3	Silver anodized	3000 mm


TECHNICAL DRAWING




RELATED PROFILES




MOD-MOS-50
Profile
Ref: C1773



OMODO-50 Profile
Ref: 18053



MOD-KR-KOL
Profile
Ref: C2053



Profile system
MOD-KOL-50
Ref: 18060 (RAM-
KOL-50) + 18053
(OMODO-50)


RELATED PRODUCTS

END CAPS



RAM-KOL-50 grey
End cap
Ref: 24355


ACCESSORIES




KR Spring
Ref: 42737




KR Tool
Ref: 70449




Mounting wedge
Ref: 70397




RAM-1 Spring
Ref: 42738




ZM-120
Connector
Ref: 42728




ZM-120-G
Connector
Ref: 42308




ZM-135
Connector
Ref: 42720




ZM-135-G
Connector
Ref: 42310




ZM-180
Connector
Ref: 42717




ZM-45-G
Connector
Ref: 42338



ZM-60-G
Connector
Ref: 42304



ZM-90 Connector
Ref: 42716




ZM-90-G
Connector
Ref: 42306



ZM-MINI-180
Connector
Ref: 44501




ZM-PION-120
Connector
Ref: 42320



ZM-PION-135
Connector
Ref: 42719



ZM-PION-45
Connector
Ref: 42314



ZM-PION-60
Connector
Ref: 42316



ZM-PION-90
Connector
Ref: 42718