

### PRODUCT DESCRIPTION

- Infinitely adjustable suspension height at the ceiling
- Easy mounting
- 1 m long wire included

Fill empty fields

Product nr.

Fixture type

Company

Job name

Date



## **TECHNICAL SPECIFICATION**

### **Application**

- for suspending linear LED lighting fixtures.


#### **Assembly**

- ceiling installation using ceiling brackets with fi-5 mounting hole,
- attached to the profile without tools,
- RG-1 mounting with upper adjustment at the ceiling, using accessories adapted to the mounting of the wire (e.g. Ucho ZM).

#### Additional information


- different color versions are available.

#### TECHNICAL DRAWING





# **RELATED PROFILES**



GIZA-LL profile Ref: C0758



OPK-4 Profile Ref: C0370



3035 Profile Ref: 18039



MICRO-H Profile Ref: C0599



PDS-H Profile Ref: B9204



45-16 Profile Ref: B8504



JAZ Profile Ref: B8547



OLEK Profile Ref: B8505



SILER Profile Ref: B9325



MICRO-ALU Profile Ref: B1888



TAMI Profile Ref: B5390



PDS-4-ALU Profile Ref: B1718



PDS-ZM Profile Ref: B7696



REGULOR Profile Ref: B468+43



PDS-O Profile Ref: B3777



45-ALU Profile Ref: B4023




GLAD-45 Profile Ref: B7009



TRIADA Profile Ref: B4476



GIZA Profile Ref: B5556



LIPOD Profile Ref: B5554



DES Profile Ref: 18030



GLADES Profile Ref: 18036



INTER Profile Ref: 18011



SEPOD Profile Ref: B6593






3035-O Profile Ref: B8441



PDS-4-PLUS Profile Ref: C1263



PIKO-ZM Profile Ref: C1168



PDS-ZMG Profile Ref: C1418



MICRO-HG Profile Ref: C1419



JAZ-DUO Profile Ref: C0788



MOD-50 Profile Ref: 18047



TAPO Profile Ref: C1919



PDS-ZM-PLUS Profile Ref: C2056




4050 Profile Ref: 18050




4050-W Profile Ref: 18051



GIZA-DUO-LL Profile Ref: C2162



GLAZA-LL Profile Ref: C2627



Profile LIPOD-50 Ref: C2609