

PRODUCT DESCRIPTION

- Infinitely adjustable suspension height at the ceiling
- Easy mounting
- Two colors - silver and black

Fill empty fields

Product nr.

Fixture type

Company

Job name

Date



TECHNICAL SPECIFICATION


Application

- for suspending linear LED lighting fixtures


Assembly

- ceiling mounting using ceiling holders with mounting hole dia. 5
- installation without tools
- RG-1: mounting with top adjustment at the ceiling, using accessories adapted for wire installation (e.g. Ucho ZM)


TECHNICAL DRAWING




RELATED PROFILES



GIZA-LL profile
Ref: C0758



OPK-4 Profile
Ref: C0370




3035 Profile
Ref: 18039




JAZ Profile
Ref: B8547




OLEK Profile
Ref: B8505




PDS-ZM Profile
Ref: B7696




GIZA Profile
Ref: B5556




LIPOD Profile
Ref: B5554




SEPOD Profile
Ref: B6593



3035-O Profile
Ref: B8441




PIKO-ZM Profile
Ref: C1168




PDS-ZMG Profile
Ref: C1418



PDS-ZM-PLUS
Profile
Ref: C2056



4050 Profile
Ref: 18050



4050-W Profile
Ref: 18051



GIZA-DUO-LL
Profile
Ref: C2162