

**PRODUCT DESCRIPTION**

- Designed to reach an IP67 waterproof rating
- Ability to create a line of light
- Masking the channel edge

**FINISH :**Silver anodized Black anodized 

\*Custom colors available upon request



Fill empty fields

Product nr.	
Fixture type	
Company	
Job name	
Date	

**TECHNICAL SPECIFICATION****Application**

- construction of recessed lighting fixtures
- furniture lighting

**Assembly**

- with mounting adhesive

**Additional information**

- possibility of making a linear fixture with IP67 protection, which means the fixture is dustproof and waterproof
- spece for LED strip: 11.3 mm

**Profile bending**


Minimum internal radius	Minimum external radius
150 mm	150 mm

- minimum radius - bending radius which when exceeded causes destruction (deformation, bending or lack of compatibility with other accessories, e.g. covers, end caps, etc.) of the profile
- internal radius - refers to the profile bent so that the cover is facing the inside of the arch
- external radius - refers to the profile bent so that the cover is facing the outside of the arch
- irregular curves are possible after consultation and individual quotation
- when bending anodized profiles, one should be aware of cracking of the anode coating (which may be more or less visible depending on the radius)

**AVAILABLE LENGTHS**


Ref. nr.	surface finish	available lengths
B3776ANODA_1	Silver anodized	1000mm
B3776ANODA_2	Silver anodized	2000 mm
B3776ANODA_3	Silver anodized	3000 mm

**TECHNICAL DRAWING**



**RELATED PRODUCTS**

**COVERS**




HS clear Cover  
Ref: 1370

50°




HS frosted Cover  
Ref: 1369

100°




KA clear Cover  
Ref: 17036

60°




KA frosted Cover  
Ref: 17035

90°




KA-COM clear Cover  
Ref: 17122

70°




KA-COM frosted Cover  
Ref: 17121

100°




KA-PRO clear Cover  
Ref: 17065

50°



KA-PRO frosted Cover  
Ref: 17064

100°



LIGER black Cover  
Ref: 17040

90°



LIGER frosted Cover  
Ref: 17037

120°




**END CAPS**



ECO-PDS-4-K  
white End cap  
Ref: 20005



PDS-4-K black  
End cap  
Ref: 24067



PDS-4-K grey End  
cap  
Ref: 1438



PDS-4-K  
metalized End  
cap  
Ref: 24063




PDS-4-K-MW grey  
End cap  
Ref: 00032




PDS-4-K-MW  
white End cap  
Ref: 22005



PDS-4-K-OTW  
black End cap  
Ref: 24082



PDS-4-K-OTW  
grey End cap  
Ref: 1447



PDS-4-K-OTW  
white End cap  
Ref: 21005



PDS-4-K-OTW-MW  
grey End cap  
Ref: 00309



PDS-4-K-OTW-MW  
white End cap  
Ref: 23005

## ACCESSORIES




6,4x1,6 Gland  
Ref: 00802L




6x1,2 Gland  
Ref: 00802


## LED TAPES




LED strip K-1210-12V  
4.8 W/m  
Ref: K-1210-12V



LED strip K-1210-24V  
4.8W/m  
Ref: K-1210-24V




LED strip K-1215-  
RGB-12V 7.2W/m  
Ref: K-1215-  
RGB-12V




LED strip K-1215-  
RGB-24V 7.2W/m  
Ref: K-1215-RGB-24V




LED strip K-1220-12V  
9.6W/m  
Ref: K-1220-12V




LED strip K-1220-24V  
9.6W/m  
Ref: K-1220-24V




LED strip K-1225-  
RGB-12V  
11.5W/m  
Ref: K-1225-  
RGB-12V




LED strip K-1225-  
RGB-24V 11.5W/m  
Ref: K-1225-RGB-24V




LED strip K-1275-12V  
14.4W/m  
Ref: K-1275-12V




LED strip K-1275-24V  
14.4W/m  
Ref: K-1275-24V




LED strip K-1275-RGB-12V  
14.4W/m  
Ref: K-1275-RGB-12V




LED strip K-1275-RGB-24V  
14.4W/m  
Ref: K-1275-RGB-24V




LED strip K-1530-RGB+W-24V  
Ref: K-1530-RGB+W-24V




LED strip K-1820-HD-24V  
18.2W/m  
Ref: K-1820-HD-24V




LED strip K-1910-HD-24V  
9.1W/m  
Ref: K-1910-HD-24V




LED strip K-1920-120-RGB-24V  
19.2W/m  
Ref: K-1920-120-RGB-24V



LED strip K-22/50-1728-24V  
17.28W/m  
Ref: K-22/50-1728-24V




LED strip K-27/65-1920-24V  
19.2W/m  
Ref: K-27/65-1920-24V




LED strip K-30/18-1770-24V  
11.5W/m  
Ref: K-30/18-1770-24V



LED strip K-LR-1000-24V  
10W/m  
Ref: K-LR-1000-24V



LED strip LED WP-K-1220-24V  
9.6W/m  
Ref: WP-K-1220-24V



LED strip WP-1640-HD-IP65-24V  
16.4W/m  
Ref: WP-K-1640-HD-IP65-24V




LED strip WP-K-1210-12V  
4.8W/m  
Ref: WP-K-1210-12V




LED strip WP-K-1210-24V  
4.8W/m  
Ref: WP-K-1210-24V




LED strip WP-K-1220-IP65-12V  
9.6W/m  
Ref: WP-K-1220-IP65-12V




LED strip WP-K-1220-IP65-24V  
9.6 W/m  
Ref: WP-K-1220-IP65-24V




LED strip WP-K-1275-12V  
14.4W/m  
Ref: WP-K-1275-12V



LED strip WP-K-1275-24V  
14.4W/m  
Ref: WP-K-1275-24V




LED strip WP-K-1920-120-RGB-24V  
19.2W/m  
Ref: WP-K-1920-120-RGB-24V



LED strip WP-K-27/65-1920-24V  
19.2W/m  
Ref: WP-K-27/65-1920-24V



Taśma LED WP-K-1220-12V  
9.6W/m  
Ref: WP-K-1220-12V



Taśma LED WP-K-1910-HD-IP65-24V 9.1W/m  
Ref: WP-K-1910-HD-IP65-24V

## MARKETING MATERIALS



Presentation set 1  
Ref: 90051