



PRODUCT DESCRIPTION

- Designed to reach an IP67 waterproof rating
- The profile directs light at a 45-degree angle
- Good heat dissipation
- Ability to create a line of light

FINISH :

Non anodized (raw) 

Silver anodized 

Black anodized 

RAL  

*Custom colors available upon request



Fill empty fields

Product nr.	
Fixture type	
Company	
Job name	
Date	

TECHNICAL SPECIFICATION

Application

- for construction of directional lighting fixtures
- for mounting on surfaces and in internal 90° corners

Assembly

- on surfaces, with the 45-STN mounting brackets
- on surfaces, with professional double-sided adhesive tapes and mounting glue

Additional information



- possibility of making a linear fixture with IP67 protection, which means the fixture is dustproof and waterproof
- possible to make a lighting fixture with a concealed source of light
- spece for Led strip: 11.2 mm

AVAILABLE LENGTHS

Ref. nr.	surface finish	available lengths
B4023NA_1	Non anodized (raw)	1000 mm

Ref. nr.	surface finish	available lengths
B4023NA_2	Non anodized (raw)	2000 mm
B4023NA_3	Non anodized (raw)	3000 mm
B4023ANODA_1	Silver anodized	1000 mm
B4023ANODA_2	Silver anodized	2000 mm
B4023ANODA_3	Silver anodized	3000 mm
B4023K7_1	Black anodized	1000 mm
B4023K7_2	Black anodized	2000 mm
B4023L9010_1	White RAL	1000 mm
B4023L9010_2	White RAL	2000 mm
B4023L9005_1	Black RAL	1000 mm
B4023L9005_2	Black RAL	2000 mm


TECHNICAL DRAWING



45-ALU profile and 45-STN mounting bracket
profil 45-ALU z mocownikiem 45-STN


RELATED PRODUCTS

COVERS




HS clear Cover
Ref: 1370

50°




HS frosted Cover
Ref: 1369

100°





KA clear Cover
Ref: 17036

60°




KA frosted Cover
Ref: 17035

90°




KA-COM clear Cover
Ref: 17122

70°




KA-COM frosted Cover
Ref: 17121

100°





KA-PRO clear Cover
Ref: 17065

50°




KA-PRO frosted Cover
Ref: 17064

100°



LIGER black Cover
Ref: 17040

90°



LIGER frosted Cover
Ref: 17037

110°



END CAPS



45-ALU black End
cap
Ref: 24070



45-ALU grey End
cap
Ref: 1383



45-ALU white End
cap
Ref: 20003



45-ALU-MW grey
End cap
Ref: 00030



45-ALU-OTW
black End cap
Ref: 24085



45-ALU-OTW grey
End cap
Ref: 1440



45-ALU-OTW-MW
black End cap
Ref: 24163




45-ALU-OTW-MW
grey End cap
Ref: 00031

ACCESSORIES



45-ST Head
Ref: 42210



45-STN Mounting
bracket
Ref: 24144



45-ZO Head
Ref: 42211




45-ZZ Head
Ref: 42212



DP-45-MOC
Fastener
Ref: 00652




DP-45-MOC-ZO
Fastener
Ref: 00653




DP-45-MOC-ZZ
Fastener
Ref: 00654


LED TAPES




LED strip K-1210-12V
4.8 W/m
Ref: K-1210-12V




LED strip
K-1210-24V 4.8W/m
Ref: K-1210-24V




LED strip K-1215-
RGB-12V 7.2W/m
Ref: K-1215-
RGB-12V




LED strip K-1215-
RGB-24V 7.2W/m
Ref: K-1215-
RGB-24V




LED strip K-1220-12V
9.6W/m
Ref: K-1220-12V




LED strip
K-1220-24V 9.6W/m
Ref: K-1220-24V




LED strip K-1225-
RGB-12V 11.5W/m
Ref: K-1225-
RGB-12V




LED strip K-1225-
RGB-24V 11.5W/m
Ref: K-1225-
RGB-24V




LED strip K-1275-12V
14.4W/m
Ref: K-1275-12V




LED strip K-1275-24V
14.4W/m
Ref: K-1275-24V



LED strip K-1275-RGB-12V
14.4W/m
Ref: K-1275-RGB-12V



LED strip K-1275-RGB-24V 14.4W/m
Ref: K-1275-RGB-24V




LED strip K-1530-RGB+W-24V
Ref: K-1530-RGB+W-24V




LED strip K-1820-HD-24V 18.2W/m
Ref: K-1820-HD-24V



LED strip K-1910-HD-24V 9.1W/m
Ref: K-1910-HD-24V



LED strip K-22/50-1728-24V 17.28W/m
Ref: K-22/50-1728-24V



LED strip K-30/18-1770-24V 11.5W/m
Ref: K-30/18-1770-24V




LED strip K-LR-1000-24V 10W/m
Ref: K-LR-1000-24V



LED strip WP-K-1210-12V 4.8W/m
Ref: WP-K-1210-12V




LED strip WP-K-1210-24V 4.8W/m
Ref: WP-K-1210-24V




LED strip WP-K-1220-IP65-24V 9.6 W/m
Ref: WP-K-1220-IP65-24V




LED strip WP-K-1225-RGB-12V 11.5W/m
Ref: WP-K-1225-RGB-12V



LED strip WP-K-1275-12V 14.4W/m
Ref: WP-K-1275-12V




LED strip WP-K-1275-24V 14.4W/m
Ref: WP-K-1275-24V




Taśma LED WP-K-1640-HD-IP65-24V 16.4W/m
Ref: WP-K-1640-HD-IP65-24V




Taśma LED WP-K-1220-12V 9.6W/m
Ref: WP-K-1220-12V



Taśma LED WP-K-1220-24V 9.6W/m
Ref: WP-K-1220-24V



Taśma LED WP-K-1220-IP65-12V 9.6W/m
Ref: WP-K-1220-IP65-12V



Taśma LED WP-K-1910-
HD-IP65-24V 9.1W/m
Ref: WP-K-1910-HD-
IP65-24V

MARKETING MATERIALS



Display
P230-90120M
Ref: 90120M



Presentation set 1
Ref: 90051