


PRODUCT DESCRIPTION

- Designed to reach an IP67 waterproof rating
- Construction of high-performance lighting fixtures
- Good heat dissipation
- Three-channel housing for LED strips up to 12 mm wide

FINISH :

Silver anodized ☐

*Custom colors available upon request



Fill empty fields

Product nr.

Fixture type

Company

Job name

Date

TECHNICAL SPECIFICATION

Application

- for construction of flat surface lighting fixtures with high luminous efficiency

Assembly

- with screws appropriately selected for the mounting surface, on dedicated mounting strips
- with mounting adhesives appropriately selected for the surface

Additional information

- possibility of making a linear fixture with IP67 protection, which means the fixture is dustproof and waterproof

Profile bending


Minimum internal radius	Minimum external radius
200 mm	200 mm

- minimum radius - bending radius which when exceeded causes destruction (deformation, bending or lack of compatibility with other accessories, e.g. covers, end caps, etc.) of the profile
- internal radius - refers to the profile bent so that the cover is facing the inside of the arch
- external radius - refers to the profile bent so that the cover is facing the outside of the arch
- irregular curves are possible after consultation and individual quotation
- when bending anodized profiles, one should be aware of cracking of the anode coating (which may be more or less visible depending on the radius)


AVAILABLE LENGTHS

Ref. nr.	surface finish	available lengths
B4476ANODA_1	Silver anodized	1000 mm
B4476ANODA_2	Silver anodized	2000 mm
B4476ANODA_3	Silver anodized	3000 mm


TECHNICAL DRAWING



RELATED PROFILES




TETRA-43 Profile
Ref: W4476




TETRA-78 Profile
Ref: W4508

RELATED PRODUCTS


COVERS




HS-12 clear Cover
Ref: 00158






HS-12 frosted Cover
Ref: 00157




KA-12 clear Cover
Ref: 17079



KA-12 frosted
Cover
Ref: 17078




KA-PRO-12 clear
Cover
Ref: 17067



KA-PRO-12 frosted
Cover
Ref: 17066

END CAPS



TRIADA grey End
cap
Ref: 00090



TRIADA metalized
End cap
Ref: 24056

ACCESSORIES




6x1,2 Gland
Ref: 00802




PUSZ-LIN-ZD
Fastener
Ref: 42257



PUSZ-PRET-ZD
Fastener
Ref: 42251



TR Spring
Ref: 00801V1




UCHO-ZD Hanger
Ref: 42513



ZD Block
Ref: 42521



ZD-135 Connector
Ref: 43503



ZD-180 Connector
Ref: 43501




ZD-90 Connector
Ref: 43502



ZD-PION-135
Connector
Ref: 43505




ZD-PION-90
Connector
Ref: 43504




ZM-120-G
Connector
Ref: 42308


LED TAPES




LED strip K-1210-12V
4.8 W/m
Ref: K-1210-12V




LED strip K-1210-24V
4.8W/m
Ref: K-1210-24V



LED strip K-1215-
RGB-12V 7.2W/m
Ref: K-1215-RGB-12V




LED strip K-1215-
RGB-24V 7.2W/m
Ref: K-1215-RGB-24V




LED strip K-1220-12V
9.6W/m
Ref: K-1220-12V




LED strip K-1220-24V
9.6W/m
Ref: K-1220-24V



LED strip K-1225-
RGB-12V 11.5W/m
Ref: K-1225-RGB-12V




LED strip K-1225-
RGB-24V 11.5W/m
Ref: K-1225-RGB-24V




LED strip K-1275-12V
14.4W/m
Ref: K-1275-12V



LED strip K-1275-24V
14.4W/m
Ref: K-1275-24V




LED strip K-1275-
RGB-12V 14.4W/m
Ref: K-1275-RGB-12V




LED strip K-1275-
RGB-24V 14.4W/m
Ref: K-1275-RGB-24V




LED strip K-1820-
HD-24V 18.2W/m
Ref: K-1820-HD-24V




LED strip K-1910-HD-24V
9.1W/m
Ref: K-1910-HD-24V




LED strip K-1920-120-
RGB-24V 19.2W/m
Ref: K-1920-120-
RGB-24V




LED strip
K-22/50-1728-24V
17.28W/m
Ref: K-22/50-1728-24V



LED strip
K-27/65-1920-24V
19.2W/m
Ref: K-27/65-1920-24V




LED strip
K-30/18-1770-24V
11.5W/m
Ref: K-30/18-1770-24V




LED strip K-
CR-1210-24V 4.8W/m
Ref: K-CR-1210-24V



LED strip K-
LR-1000-24V 10W/m
Ref: K-LR-1000-24V



LED strip LED WP-
K-1220-24V 9.6W/m
Ref: WP-K-1220-24V



LED strip WP-1640-HD-
IP65-24V 16.4W/m
Ref: WP-K-1640-HD-
IP65-24V




LED strip WP-
K-1210-12V 4.8W/m
Ref: WP-K-1210-12V




LED strip WP-
K-1210-24V 4.8W/m
Ref: WP-K-1210-24V




LED strip WP-K-1220-
IP65-12V 9.6W/m
Ref: WP-K-1220-
IP65-12V




LED strip WP-K-1220-
IP65-24V 9.6 W/m
Ref: WP-K-1220-
IP65-24V




LED strip WP-
K-1275-12V 14.4W/m
Ref: WP-K-1275-12V



LED strip WP-
K-1275-24V 14.4W/m
Ref: WP-K-1275-24V



LED strip WP-K-1530-
RGB+W-24V
Ref: WP-K-1530-
RGB+W-24V



LED strip WP-
K-1920-120-RGB-24V
19.2W/m
Ref: WP-K-1920-120-
RGB-24V




LED strip WP-
K-27/65-1920-24V
19.2W/m
Ref: WP-
K-27/65-1920-24V




LED strip WP-K-
CR-1210-24V 4.8W/m
Ref: WP-K-CR-1210-24V




LED strip WP-K-
CR-1220-24V 9.6W/m
Ref: WP-K-CR-1220-24V




LED strip WP-K-
CR-1275-24V 14.4W/m
Ref: WP-K-CR-1275-24V



Taśma LED K-
CR-1220-24V 9.6W/m
Ref: K-CR-1220-24V



Taśma LED K-
CR-1275-24V 14.4W/m
Ref: K-CR-1275-24V




Taśma LED K-CR-1820-
HD-24V 18.2W/m
Ref: K-CR-1820-HD-24V



Taśma LED K-CR-1910-
HD-24V 9.1W/m
Ref: K-CR-1910-HD-24V



Taśma LED WP-
K-1220-12V 9.6W/m
Ref: WP-K-1220-12V



Taśma LED WP-K-1910-
HD-IP65-24V 9.1W/m
Ref: WP-K-1910-HD-
IP65-24V

MARKETING MATERIALS



Display
P230-90082M
Ref: 90082M



Presentation set 1
Ref: 90051