

PRODUCT DESCRIPTION

- Three types of cover shapes
- Easy wiring

FINISH:

Silver anodized

*Custom colors available upon request

Fill empty fields

Product nr.	
Fixture type	
Company	
Job name	
Date	

TECHNICAL SPECIFICATION

Application

- for construction of fixtures illuminating at a 45-degree angle
- for placing in internal 90° corners (cabinet wall, ceiling wall, wall wall, etc.).

Assembly

- with screws appropriately selected for the type of the mounting surface
- with mounting springs


Additional information


- simple assembly, the ready fixture is mounted to the surface with screws before the cover is attached
- after the cover has been attached, appealing aluminum flanges of small width will be visible
- spece for LED strip: 21 mm


AVAILABLE LENGTHS

Ref. nr.	surface finish	available lengths
B6367ANODA_1	Silver anodized	1000 mm
B6367ANODA_2	Silver anodized	2000 mm
B6367ANODA_3	Silver anodized	3000 mm











RELATED PRODUCTS

COVERS




KOPRO-K frosted Cover Ref: 17093 **170°**




KOPRO-L frosted Cover Ref: 17092 120°



KOPRO-P frosted Cover Ref: 17091 110°







END CAPS



KOPRO-K grey End cap Ref: 24115



KOPRO-K metalized End cap Ref: 24221



KOPRO-L grey End cap Ref: 24116



KOPRO-L metalized End cap Ref: 24220



KOPRO-P grey End cap Ref: 24117



KOPRO-P metalized End cap Ref: 24222

ACCESSORIES



FI-3 Isolating bases Ref: 42203



Fi-5 Isolating bases Ref: 42204



Fi-6 Isolating bases Ref: 42205



GP Spring Ref: 00293





Gland 6,4x3 Ref: 42264



ZM-120 Connector Ref: 42728



ZM-120-G Connector Ref: 42308



ZM-135 Connector Ref: 42720



ZM-135-G Connector Ref: 42310



ZM-180 Connector Ref: 42717



ZM-45-G Connector Ref: 42338



ZM-60-G Connector Ref: 42304



ZM-90 Connector Ref: 42716



ZM-90-G Connector Ref: 42306



ZM-PION-120 Connector Ref: 42320



ZM-PION-135 Connector Ref: 42719



ZM-PION-45 Connector Ref: 42314



ZM-PION-90 Connector Ref: 42718

LED TAPES



LED strip K-1210-12V 4.8 W/m Ref: K-1210-12V



LED strip K-1220-12V 9.6W/m Ref: K-1220-12V



LED strip K-1210-24V 4.8W/m Ref: K-1210-24V



LED strip K-1220-24V 9.6W/m Ref: K-1220-24V



LED strip K-1215-RGB-12V 7.2W/m Ref: K-1215-RGB-12V



LED strip K-1225-RGB-12V 11.5W/m Ref: K-1225-RGB-12V



LED strip K-1215-RGB-24V 7.2W/m Ref: K-1215-RGB-24V



LED strip K-1225-RGB-24V 11.5W/m Ref: K-1225-RGB-24V







LED strip K-LR-1000-24V 10W/m Ref: K-LR-1000-24V




LED strip WP-K-1215-RGB-24V 7.2W/m Ref: WP-K-1215-RGB-24V



LED strip WP-K-1225-RGB-24V 11.5W/m Ref: WP-K-1225-RGB-24V



LED strip K-1275-24V 14.4W/m Ref: K-1275-24V



LED strip K-1820-HD-24V 18.2W/m Ref: K-1820-HD-24V

K-22/50-1728-24V

K-22/50-1728-24V

K-1210-12V 4.8W/m

Ref: WP-K-1210-12V

a de la compansa da de la compansa d

LED strip WP-K-1220-

IP65-12V 9.6W/m

K-1275-12V 14.4W/m

Ref: WP-K-1275-12V

LED strip WP-

Ref: WP-K-1220-


IP65-12V

LED strip WP-

LED strip

17.28W/m

Ref:



LED strip K-1275-

RGB-12V 14.4W/m

Ref: K-1275-RGB-12V

9.1W/m Ref: K-1910-HD-24V



LED strip K-27/65-1920-24V 19.2W/m Ref: K-27/65-1920-24V



LED strip WP-K-1210-24V 4.8W/m Ref: WP-K-1210-24V



LED strip WP-K-1220-IP65-24V 9.6 W/m Ref: WP-K-1220-IP65-24V




LED strip WP-K-1275-24V 14.4W/m Ref: WP-K-1275-24V



LED strip K-1275-RGB-24V 14.4W/m Ref: K-1275-RGB-24V



LED strip K-1920-120-RGB-24V 19.2W/m Ref: K-1920-120-RGB-24V



LED strip K-30/18-1770-24V 11.5W/m Ref: K-30/18-1770-24V



LED strip WP-K-1215-RGB-12V 7.2W/m Ref: WP-K-1215-RGB-12V



LED strip WP-K-1225-RGB-12V 11.5W/m Ref: WP-K-1225-RGB-12V



LED strip WP-K-1275-RGB-12V 14.4W/m Ref: WP-K-1275-RGB-12V





LED strip WP-K-1275-RGB-24V 14.4W/m Ref: WP-K-1275-RGB-24V



LED strip WP-K-1820-HD-24V 18.2W/m Ref: WP-K-1820-HD-24V



LED strip WP-K-1920-120-RGB-24V 19.2W/m Ref: WP-K-1920-120-RGB-24V



LED strip WP-K-1920-RGB+W-24V 19.2W/m Ref: WP-K-1920-RGB+W-24V



LED strip WP-K-22/50-1728-24V 17.2W/m Ref: WP-K-22/50-1728-24V



LED strip WP-K-27/65-1920-24V 19.2W/m Ref: WP-K-27/65-1920-24V



LED strip WP-K-30/18-1770-24V 17W/m Ref: WP-K-3018-1770-24V



Taśma LED WP-1640-HD-IP65-24V 16.4W/m Ref: WP-K-1640-HD-IP65-24V



Taśma LED WP-K-1220-12V 9.6W/m Ref: WP-K-1220-12V



Taśma LED WP-K-1220-24V 9.6W/m Ref: WP-K-1220-24V



Taśma LED WP-K-1910-HD-IP65-24V 9.1W/m Ref: WP-K-1910-HD-IP65-24V

MARKETING MATERIALS



Display P230-90079M Ref: 90079M



Presentation set 4 Ref: 90054