

PRODUCT DESCRIPTION

- Designed to reach an IP67 waterproof rating
- The profile directs light at a 45-degree angle
- Smooth sides
- Ability to create a line of light

FINISH:	
Silver anodized	
*Custom colors available upor	n request
	Fill empty fields



Product nr.

Fixture type

Company

Job name

Date

TECHNICAL SPECIFICATION

Application

- for construction of directional lighting fixtures
- for mounting on surfaces and in internal 90° corners

Assembly

- on surfaces, with surface springs
- on surfaces, with professional double-sided adhesive tape

Additional information


- possibility of making a linear fixture with IP67 protection, which means the fixture is dustproof and waterproof
- possible to make a light fixture with a concealed source of light
- spece for LED strip: 11.2 mm

AVAILABLE LENGTHS

Ref. nr.	surface finish	available lengths
B7009ANODA_1	Silver anodized	1000 mm
B7009ANODA_2	Silver anodized	2000 mm
B7009ANODA_3	Silver anodized	3000 mm



TECHNICAL DRAWING



KA frosted Cover

KA-PRO frosted Cover


Ref: 17064 **100**°

Ref: 17035 **90**°



RELATED PRODUCTS

COVERS



END CAPS



GLAD-45 grey End-cap Ref: 24104



GLAD-45-OTW grey End cap Ref: 24157



ACCESSORIES



6x1,2 Gland Ref: 00802



FI-3 Isolating bases Ref: 42203



Fi-5 Isolating bases Ref: 42204



Fi-6 Isolating bases Ref: 42205



GP Spring Ref: 00293



UCHO-ZM Hanger Ref: 42512



UCHO-ZM black Hanger Ref: 42525



ZM-120 Connector Ref: 42728



ZM-120-G Connector Ref: 42308



ZM-135 Connector Ref: 42720



ZM-135-G Connector Ref: 42310



ZM-180 Connector Ref: 42717



ZM-45-G Connector Ref: 42338



ZM-60-G Connector Ref: 42304



ZM-90 Connector Ref: 42716



ZM-90-G Connector Ref: 42306



ZM-PION-135 Connector Ref: 42719




ZM-PION-45 Connector Ref: 42314




ZM-PION-90 Connector Ref: 42718

LED TAPES










LED strip K-1275-RGB-12V 14.4W/m Ref: K-1275-



LED strip K-1225-LED strip K-1225-RGB-24V 11.5W/m RGB-12V Ref: K-1225-RGB-24V 11.5W/m Ref: K-1225-



RGB-24V 7.2W/m Ref: K-1215-RGB-24V



LED strip K-1275-12V Ref: K-1275-12V



LED strip K-1275-24V 14.4W/m Ref: K-1275-24V



RGB-12V



LED strip K-1275-RGB-24V 14.4W/m Ref: K-1275-RGB-24V



LED strip K-1530-RGB+W-24V Ref: K-1530-RGB+W-24V




LED strip K-1820-HD-24V 18.2W/m Ref: K-1820-HD-24V




LED strip K-1910-HD-24V 9.1W/m Ref: K-1910-HD-24V



LED strip K-1920-120-RGB-24V 19.2W/m Ref: K-1920-120-RGB-24V



LED strip K-22/50-1728-24V 17.28W/m Ref: K-22/50-1728-24V



LED strip K-30/18-1770-24V 11.5W/m Ref: K-30/18-1770-24V



LED strip K-LR-1000-24V 10W/m Ref: K-LR-1000-24V



LED strip LED WP-K-1220-24V 9.6W/m Ref: WP-K-1220-24V



LED strip WP-1640-HD-IP65-24V 16.4W/m Ref: WP-K-1640-HD-IP65-24V





LED strip WP-K-1210-12V 4.8W/m Ref: WP-K-1210-12V



LED strip WP-K-1210-24V 4.8W/m Ref: WP-K-1210-24V



LED strip WP-K-1220-IP65-12V 9.6W/m Ref: WP-K-1220-IP65-12V



LED strip WP-K-1220-IP65-24V 9.6 W/m Ref: WP-K-1220-IP65-24V



LED strip WP-K-1275-12V 14.4W/m Ref: WP-K-1275-12V



LED strip WP-K-1275-24V 14.4W/m Ref: WP-K-1275-24V



LED strip WP-K-1920-120-RGB-24V 19.2W/m Ref: WP-K-1920-120-RGB-24V



Taśma LED WP-K-1220-12V 9.6W/m Ref: WP-K-1220-12V



Taśma LED WP-K-1910-HD-IP65-24V 9.1W/m Ref: WP-K-1910-HD-IP65-24V

MARKETING MATERIALS



Presentation set 6 Ref: 90125