

PRODUCT DESCRIPTION

- Designed to reach an IP67 waterproof rating
- Can create illuminated skeletal forms
- Appealing concealed extrusion connections
- Modern cross-section design

| FINISH: | |
|-------------------------------|-------------------|
| Silver anodized | |
| *Custom colors available upon | request |
| | |
| | Fill empty fields |
| Product nr. | |
| Fixture type | |
| Company | |
| Job name | |
| | |



TECHNICAL SPECIFICATION

Application

Date

- construction of skeletal forms for display lighting

Assembly

- with ZM connectors

Additional information


- possibility of making a linear fixture with IP67 protection, which means the fixture is dustproof and waterproof
- achieving IP67 is possible with the following covers: LIGER, KA, HS, KA-PRO and KA-COM
- space for LED strip: 10 mm

AVAILABLE LENGTHS

| Ref. nr. | surface finish | available lengths |
|--------------|-----------------|-------------------|
| B7697ANODA_1 | Silver anodized | 1000 mm |
| B7697ANODA_2 | Silver anodized | 2000 mm |
| B7697ANODA_3 | Silver anodized | 3000 mm |



TECHNICAL DRAWING





RELATED PRODUCTS

COVERS



HS cieai _ Ref: 1370 **50°**



HS frosted Cover HS trusica Ref: 1369 100°



KA clear Cover Ref: 17036 **60**°










KA-COM clear Cover Ref: 17122 **70**°



KA-COM frosted Cover KA-PRO clear Cover Ref: 17121 100°



Ref: 17065



KA-PRO frosted Cover Ref: 17064







LIGER black Cover Ref: 17040



LIGER frosted Cover Ref: 17037 110°



PDS-LUK frosted Cover Ref: 17076





ACCESSORIES



ZM-120 Connector Ref: 42728



ZM-120-G Connector Ref: 42308



ZM-135 Connector Ref: 42720



ZM-135-G Connector Ref: 42310





ZM-180 Connector Ref: 42717



ZM-45-G Connector Ref: 42338



ZM-60-G Connector Ref: 42304



ZM-90 Connector Ref: 42716



ZM-90-G Connector Ref: 42306



ZM-PION-120 Connector Ref: 42320



ZM-PION-135 Connector Ref: 42719



ZM-PION-45 Connector Ref: 42314



ZM-PION-90 Connector Ref: 42718

LED TAPES



LED strip K-1210-12V 4.8 W/m Ref: K-1210-12V



LED strip K-1210-24V 4.8W/m Ref: K-1210-24V



LED strip K-1215-RGB-12V 7.2W/m Ref: K-1215-RGB-12V



LED strip K-1215-RGB-24V 7.2W/m Ref: K-1215-RGB-24V



LED strip K-1220-12V 9.6W/m Ref: K-1220-12V



LED strip K-1220-24V 9.6W/m Ref: K-1220-24V



LED strip K-1225-RGB-12V 11.5W/m Ref: K-1225-RGB-12V



LED strip K-1225-RGB-24V 11.5W/m Ref: K-1225-RGB-24V





LED strip K-1275-12V 14.4W/m Ref: K-1275-12V



LED strip K-1275-24V 14.4W/m Ref: K-1275-24V



LED strip K-1275-RGB-12V 14.4W/m Ref: K-1275-RGB-12V



LED strip K-1275-RGB-24V 14.4W/m Ref: K-1275-RGB-24V



LED strip K-1530-RGB+W-24V Ref: K-1530-RGB+W-24V



LED strip K-1820-HD-24V 18.2W/m Ref: K-1820-HD-24V



LED strip K-1910-HD-24V 9.1W/m Ref: K-1910-HD-24V



LED strip K-1920-120-RGB-24V 19.2W/m Ref: K-1920-120-RGB-24V



LED strip K-22/50-1728-24V 17.28W/m Ref: K-22/50-1728-24V



LED strip K-27/65-1920-24V 19.2W/m Ref: K-27/65-1920-24V



LED strip K-30/18-1770-24V 11.5W/m Ref: K-30/18-1770-24V



LED strip K-LR-1000-24V 10W/m Ref: K-LR-1000-24V



LED strip LED WP-K-1220-24V 9.6W/m Ref: WP-K-1220-24V



LED strip WP-1640-HD-IP65-24V 16.4W/m Ref: WP-K-1640-HD-IP65-24V



LED strip WP-K-1210-12V 4.8W/m Ref: WP-K-1210-12V



LED strip WP-K-1210-24V 4.8W/m Ref: WP-K-1210-24V



LED strip WP-K-1220-IP65-12V 9.6W/m Ref: WP-K-1220-IP65-12V



LED strip WP-K-1220-IP65-24V 9.6 W/m Ref: WP-K-1220-IP65-24V



LED strip WP-K-1275-12V 14.4W/m Ref: WP-K-1275-12V



LED strip WP-K-1275-24V 14.4W/m Ref: WP-K-1275-24V





LED strip WP-K-1920-120-RGB-24V 19.2W/m Ref: WP-K-1920-120-RGB-24V



LED strip WP-K-27/65-1920-24V 19.2W/m Ref: WP-K-27/65-1920-24V



Taśma LED WP-K-1220-12V 9.6W/m Ref: WP-K-1220-12V



Taśma LED WP-K-1910-HD-IP65-24V 9.1W/m Ref: WP-K-1910-HD-IP65-24V

MARKETING MATERIALS



Presentation set 6 Ref: 90125