PRODUCT DESCRIPTION

- Two cover options
- Easy wiring

FINISH :

Silver anodized ☐

*Custom colors available upon request

Fill empty fields

Product nr.

Fixture type

Company

Job name

Date

TECHNICAL SPECIFICATION

Application

- for fixtures throwing light at a 30 degree angle
- for placement in internal 90° corners (cabinet - wall, ceiling - wall, wall - wall, etc.).

Assembly

- with bolts appropriately selected for the type of the mounting surface
- with mounting springs

Additional information

- simplicity of assembly, the ready-made fixture is attached with mounting bolts before installing the cover
- after attaching covers, narrow aesthetic aluminum flanges are visible
- spece for LED strip: 22 mm

AVAILABLE LENGTHS

Ref. nr.	surface finish	available lengths
B7890ANODA_1	Silver anodized	1000 mm
B7890ANODA_2	Silver anodized	2000 mm
B7890ANODA_3	Silver anodized	3000 mm

TECHNICAL DRAWING

**KLUŚ** Inspiring Solutions

RELATED PRODUCTS

COVERS

KOPRO-L frosted Cover
Ref: 17092

KOPRO-P frosted Cover
Ref: 17091

END CAPS

KOPRO-30-L-L grey End cap
Ref: 24173

KOPRO-30-L-L metalized End cap
Ref: 24177

KOPRO-30-L-P grey End cap
Ref: 24172

KOPRO-30-L-P metalized End cap
Ref: 24176

KOPRO-30-P-L grey End cap
Ref: 24175

KOPRO-30-P-L metalized End cap
Ref: 24179

KOPRO-30-P-P grey End cap
Ref: 24174

KOPRO-30-P-P metalized End cap
Ref: 24178

ACCESSORIES

FI-3 Isolating bases
Ref: 42203

Fi-5 Isolating bases
Ref: 42204

Fi-6 Isolating bases
Ref: 42205

GP Spring
Ref: 00293

Gland 6,4x3
Ref: 42264

ZM-120 Connector
Ref: 42728

ZM-120-G Connector
Ref: 42308

ZM-135 Connector
Ref: 42720

KLUŚ® **Inspiring Solutions**


ZM-135-G
Connector
Ref: 42310

ZM-180
Connector
Ref: 42717

ZM-45-G
Connector
Ref: 42338

ZM-60-G
Connector
Ref: 42304

ZM-90 Connector
Ref: 42716

ZM-90-G
Connector
Ref: 42306

ZM-PION-120
Connector
Ref: 42320

ZM-PION-135
Connector
Ref: 42719

ZM-PION-45
Connector
Ref: 42314

ZM-PION-90
Connector
Ref: 42718

LED TAPES

LED strip K-1210-12V
4.8 W/m
Ref: K-1210-12V

LED strip K-1210-24V
4.8W/m
Ref: K-1210-24V

LED strip K-1215-
RGB-12V 7.2W/m
Ref: K-1215-RGB-12V

LED strip K-1215-
RGB-24V 7.2W/m
Ref: K-1215-RGB-24V

LED strip K-1220-12V
9.6W/m
Ref: K-1220-12V

LED strip K-1225-
RGB-12V 11.5W/m
Ref: K-1225-RGB-12V

LED strip K-1225-
RGB-24V 11.5W/m
Ref: K-1225-RGB-24V

LED strip K-1275-24V
14.4W/m
Ref: K-1275-24V

LED strip K-1275-
RGB-12V 14.4W/m
Ref: K-1275-RGB-12V


LED strip K-1275-
RGB-24V 14.4W/m
Ref: K-1275-RGB-24V

LED strip K-1530-
RGB+W-24V
Ref: K-1530-
RGB+W-24V

LED strip K-1820-HD-24V
18.2W/m
Ref: K-1820-HD-24V

KLUŚ® Inspiring Solutions

LED strip K-1910-HD-24V 9.1W/m
Ref: K-1910-HD-24V


LED strip K-1920-120-RGB-24V 19.2W/m
Ref: K-1920-120-RGB-24V

LED strip K-1920-RGB+W-24V 19.2W/m
Ref: K-1920-RGB+W-24V

LED strip K-22/50-1728-24V 17.28W/m
Ref: K-22/50-1728-24V


LED strip K-27/65-1920-24V 19.2W/m
Ref: K-27/65-1920-24V

LED strip K-30/18-1770-24V 11.5W/m
Ref: K-30/18-1770-24V

LED strip K-LR-1000-24V 10W/m
Ref: K-LR-1000-24V

LED strip LED WP-K-1220-24V 9.6W/m
Ref: WP-K-1220-24V

LED strip WP-1640-HD-IP65-24V 16.4W/m
Ref: WP-K-1640-HD-IP65-24V


LED strip WP-K-1210-12V 4.8W/m
Ref: WP-K-1210-12V


LED strip WP-K-1210-24V 4.8W/m
Ref: WP-K-1210-24V



LED strip WP-K-1215-RGB-12V 7.2W/m
Ref: WP-K-1215-RGB-12V



LED strip WP-K-1215-RGB-24V 7.2W/m
Ref: WP-K-1215-RGB-24V

LED strip WP-K-1220-IP65-12V 9.6W/m
Ref: WP-K-1220-IP65-12V

LED strip WP-K-1220-IP65-24V 9.6 W/m
Ref: WP-K-1220-IP65-24V

LED strip WP-K-1225-RGB-12V 11.5W/m
Ref: WP-K-1225-RGB-12V

LED strip WP-K-1225-RGB-24V 11.5W/m
Ref: WP-K-1225-RGB-24V


LED strip WP-K-1275-12V 14.4W/m
Ref: WP-K-1275-12V


LED strip WP-K-1275-24V 14.4W/m
Ref: WP-K-1275-24V


LED strip WP-K-1275-RGB-12V 14.4W/m
Ref: WP-K-1275-RGB-12V


LED strip WP-K-1275-RGB-24V 14.4W/m
Ref: WP-K-1275-RGB-24V



LED strip WP-K-1530-RGB+W-24V
Ref: WP-K-1530-RGB+W-24V

LED strip WP-K-1820-HD-24V 18.2W/m
Ref: WP-K-1820-HD-24V

LED strip WP-K-1920-120-RGB-24V 19.2W/m
Ref: WP-K-1920-120-RGB-24V

LED strip WP-K-1920-RGB+W-24V 19.2W/m
Ref: WP-K-1920-RGB+W-24V

LED strip WP-K-22/50-1728-24V 17.2W/m
Ref: WP-K-22/50-1728-24V

LED strip WP-K-27/65-1920-24V 19.2W/m
Ref: WP-K-27/65-1920-24V

LED strip WP-K-30/18-1770-24V 17W/m
Ref: WP-K-3018-1770-24V

Taśma LED WP-K-1220-12V 9.6W/m
Ref: WP-K-1220-12V

Taśma LED WP-K-1910-HD-IP65-24V 9.1W/m
Ref: WP-K-1910-HD-IP65-24V

MARKETING MATERIALS

Presentation set 5
Ref: 90124