


PRODUCT DESCRIPTION

- Designed to reach an IP67 waterproof rating
- Minimum dimensions for creating lines of light
- Effect of a narrow line of light

FINISH :

Silver anodized

*Custom colors available upon request



Fill empty fields

Product nr.

Fixture type

Company

Job name

Date

TECHNICAL SPECIFICATION

Application

- intended for illumination with a narrow line of light, in grooves, or for attaching various functional and architectural elements, stage design and exhibition forms

Assembly

- with mounting adhesives, professional double-sided tape


Additional information

- possibility of making a linear fixture with IP67 protection, which means the fixture is dustproof and waterproof
- frosted covers (diffusers) and aluminum-colored plastic end caps are available for this profile
- space for LED strip: 7.2 mm

AVAILABLE LENGTHS


Ref. nr.	surface finish	available lengths
B8287ANODA_1	Silver anodized	1000 mm
B8287ANODA_2	Silver anodized	2000 mm
B8287ANODA_3	Silver anodized	3000 mm

TECHNICAL DRAWING




RELATED PRODUCTS

COVERS



PIKO frosted Cover
Ref: 17034



END CAPS



LINO grey End cap
Ref: 24201



LINO-OTW grey End cap
Ref: 24250

MARKETING MATERIALS



Display
P230-90107M
Ref: 90107M




Display
P230-90172M
Ref: 90172M



Presentation set 6
Ref: 90125

LED TAPES



LED strip
K-1091-24V
9.1W/m
Ref: K-1091-24V