


PRODUCT DESCRIPTION

- Designed to reach an IP67 waterproof rating
- Small dimensions (16 mm x 16mm)
- The profile directs the light at a 45-degree angle

FINISH :

Silver anodized ☐

*Custom colors available upon request



Fill empty fields

Product nr.

Fixture type

Company

Job name

Date

TECHNICAL SPECIFICATION

Application

- for construction of directional lighting fixtures
- for mounting on surfaces and in internal 90° corners

Assembly

- on surfaces, with the PDS-STN, REG-PD, PL-PDM mounting brackets
- on surfaces, with professional double-sided adhesive tapes and fixing glues



Additional information

- possibility of making a linear fixture with IP67 protection, which means the fixture is dustproof and waterproof
- low weight
- possible to make a lighting fixture with a concealed source of light
- spece for LED strip: 11.2 mm


AVAILABLE LENGTHS

Ref. nr.	surface finish	available lengths
B8504ANODA_1	Silver anodized	1000 mm
B8504ANODA_2	Silver anodized	2000 mm
B8504ANODA_3	Silver anodized	3000 mm


TECHNICAL DRAWING




45-16 profile and PDS-STN mounting bracket
profil 45-16 z mocownikiem PDS-STN




45-16 profile and PL-PDM mounting bracket
profil 45-16 z mocownikiem PL-PDM



45-16 profile and REG-PD-UV mounting bracket
profil 45-16 z mocownikiem REG-PD-UV




45-16 profile and REG-PD-UV mounting bracket
profil 45-16 z mocownikiem REG-PD-UV



45-16 profile and REG-PD-UV mounting bracket
profil 45-16 z mocownikiem REG-PD-UV


RELATED PRODUCTS

COVERS



HS clear Cover
Ref: 1370

60°




HS frosted Cover
Ref: 1369

100°




KA clear Cover
Ref: 17036

70°



KA frosted Cover
Ref: 17035

100°




KA-COM clear Cover
Ref: 17122

100°




KA-COM frosted Cover
Ref: 17121




KA-PRO clear Cover
Ref: 17065

70°




KA-PRO frosted Cover
Ref: 17064

100°



LIGER black Cover
Ref: 17040



LIGER frosted Cover
Ref: 17037

110°



END CAPS




45-16 grey End
cap
Ref: 24206

ACCESSORIES




6x1,2 Gland
Ref: 00802



DP-MOC Fastener
Ref: 00645



DP-MOC-ZO
Fastener
Ref: 00646




DP-MOC-ZZ
Fastener
Ref: 00647



M14 Fastener set
Ref: 42612




M3 Fastener set
Ref: 42303




M4 Fastener set
Ref: 42301




M5 Fastener set
Ref: 42302




PDS Mounting
bracket
Ref: 24223



PDS Mounting
bracket
Ref: 24189



PDS-STN
Mounting bracket
Ref: 24190



PL-PDM Mounting
bracket
Ref: 24041



REG-PD-UV
Mounting bracket
Ref: 24270




ST Head
Ref: 42216




W10 Fastener set
Ref: 42608



W9 Fastener set
Ref: 42607



ZM-NA-PION-60
Connector
Ref: 42317



ZM-X60-G
Connector
Ref: 42332



ZO Head
Ref: 42217



ZZ Head
Ref: 42218

MARKETING MATERIALS




Display
P230-90106M
Ref: 90106M



Presentation set 6
Ref: 90125

LED TAPES



LED strip
K-1210-24V
4.8W/m
Ref: K-1210-24V