

### PRODUCT DESCRIPTION

- Designed to reach an IP67 waterproof rating
- Allows aesthetic assembly with concealed mounting brackets

Fill empty fields

Minimum dimensions to obtain a line of light

#### FINISH:

Silver anodized

\*Custom colors available upon request



Product nr.

Fixture type

Company

Job name

Date

### **TECHNICAL SPECIFICATION**

### **Application**

- designed for the construction of lighting fixtures mounted to horizontal surfaces: mainly under cabinets, shelves (kitchens, libraries, furniture)
- clean shape, not distorted by technical detail, such as an external mounting bracket

### **Assembly**

- with plastic mounting brackets attached to mounting surface with bolts

### **Additional information**


- possibility of making a linear fixture with IP67 protection, which means the fixture is dustproof and waterproof
- can be equipped with transparent and frosted covers, aluminum-colored and metalized plastic end caps
- space for LED strip: 14 mm

### **AVAILABLE LENGTHS**

Ref. nr.	surface finish	available lengths
B9204ANODA_1	Silver anodized	1000 mm
B9204ANODA_2	Silver anodized	2000 mm
B9204ANODA_3	Silver anodized	3000 mm



# **TECHNICAL DRAWING**



KA frosted Cover

KA-PRO frosted Cover


Ref: 17064 **100**°

Ref: 17035 **90**°



# **RELATED PRODUCTS**

# **COVERS**



# **END CAPS**



cap Ref: 24145



PDS-ZM grey End PDS-ZM metalized End cap Ref: 24254



### **ACCESSORIES**



6x1,2 Gland Ref: 00802



FI-10-H-P Fastener Ref: 42245



FI-10-H-W Fastener Ref: 42243



H Block Ref: 24366



PDS-H Mounting bracket Ref: 24214

### **LED TAPES**



LED strip K-1210-12V 4.8 W/m Ref: K-1210-12V



LED strip K-1210-24V 4.8W/m Ref: K-1210-24V



LED strip K-1215-RGB-12V 7.2W/m Ref: K-1215-RGB-12V



LED strip K-1220-12V 9.6W/m Ref: K-1220-12V



LED strip K-1220-24V 9.6W/m Ref: K-1220-24V



LED strip K-1225-RGB-12V 11.5W/m Ref: K-1225-RGB-12V



LED strip K-1225-RGB-24V 11.5W/m Ref: K-1225-RGB-24V



LED strip K-1275-12V 14.4W/m Ref: K-1275-12V



LED strip K-1275-24V 14.4W/m Ref: K-1275-24V



LED strip K-1275-RGB-12V 14.4W/m Ref: K-1275-RGB-12V



LED strip K-1275-RGB-24V 14.4W/m Ref: K-1275-RGB-24V




LED strip K-1530-RGB+W-24V Ref: K-1530-RGB+W-24V





LED strip K-1820-HD-24V 18.2W/m Ref: K-1820-HD-24V



LED strip K-1910-HD-24V 9.1W/m Ref: K-1910-HD-24V



LED strip K-1920-120-RGB-24V 19.2W/m K-22/50-1 Ref: K-1920-120- 17.28W/n RGB-24V Ref: K-22



LED strip K-22/50-1728-24V 17.28W/m Ref: K-22/50-1728-24V



LED strip K-27/65-1920-24V 19.2W/m Ref: K-27/65-1920-24V



LED strip K-30/18-1770-24V 11.5W/m Ref: K-30/18-1770-24V



LED strip K-CR-1210-24V 4.8W/m Ref: K-CR-1210-24V



LED strip K-LR-1000-24V 10W/m Ref: K-LR-1000-24V



LED strip LED WP-K-1220-24V 9.6W/m Ref: WP-K-1220-24V



LED strip WP-1640-HD-IP65-24V 16.4W/m Ref: WP-K-1640-HD-IP65-24V



LED strip WP-K-1210-12V 4.8W/m Ref: WP-K-1210-12V



LED strip WP-K-1210-24V 4.8W/m Ref: WP-K-1210-24V



LED strip WP-K-1215-RGB-24V 7.2W/m Ref: WP-K-1215-RGB-24V



LED strip WP-K-1220-IP65-12V 9.6W/m Ref: WP-K-1220-IP65-12V



LED strip WP-K-1220-IP65-24V 9.6 W/m Ref: WP-K-1220-IP65-24V



LED strip WP-K-1275-12V 14.4W/m Ref: WP-K-1275-12V



LED strip WP-K-1275-24V 14.4W/m Ref: WP-K-1275-24V



LED strip WP-K-1920-120-RGB-24V 19.2W/m Ref: WP-K-1920-120-RGB-24V



LED strip WP-K-27/65-1920-24V 19.2W/m Ref: WP-K-27/65-1920-24V



LED strip WP-K-CR-1210-24V 4.8W/m Ref: WP-K-CR-1210-24V





LED strip WP-K-CR-1220-24V 9.6W/m Ref: WP-K-CR-1220-24V




LED strip WP-K-CR-1275-24V 14.4W/m Ref: WP-K-CR-1275-24V




Taśma LED K-CR-1220-24V 9.6W/m Ref: K-CR-1220-24V



Taśma LED K-CR-1275-24V 14.4W/m Ref: K-CR-1275-24V



Taśma LED K-CR-1820-HD-24V 18.2W/m Ref: K-CR-1820-HD-24V



Taśma LED K-CR-1910-HD-24V 9.1W/m Ref: K-CR-1910-HD-24V



Taśma LED WP-K-1220-12V 9.6W/m Ref: WP-K-1220-12V



Taśma LED WP-K-1910-HD-IP65-24V 9.1W/m Ref: WP-K-1910-HD-IP65-24V

### MARKETING MATERIALS



Display P230-90121M Ref: 90121M



Foam 70339 Ref: 70339



Presentation set 6 Ref: 90125