

PRODUCT DESCRIPTION

- Designed to reach an IP67 waterproof rating
- Clean design of the lighting fixture
- Easy snap-in mounting and dismounting
- Small size

FINISH :

- Silver anodized
- *Custom colors available upon request



	Fill empty	/ fields
Product nr.		

Fixture type

Company

Job name

Date

TECHNICAL SPECIFICATION

Application

- the MICRO-H profile is intended for the construction of small-size, linear lighting fixtures, mounted to surfaces using a mounting bracket, which is concealed after the fixture has been mounted

Assembly

- snapped onto a PDS-H mounting bracket. The mounting bracket is attached with a screw suitable for the surface.

Additional information


- possibility of making a linear fixture with IP67 protection, which means the fixture is dustproof and waterproof - space for LED strip: 11.2 mm

AVAILABLE LENGTHS

Ref. nr.	surface finish	available lengths
C0599ANODA_1	Silver anodized	1000 mm
C0599ANODA_2	Silver anodized	2000 mm
C0599ANODA_3	Silver anodized	3000 mm




TECHNICAL DRAWING





RELATED PRODUCTS

COVERS



END CAPS



MICRO-H grey End cap Ref: 24261



ACCESSORIES




FI-10-H-P

Fastener

Ref: 42245



FI-10-H-W Fastener Ref: 42243



H Block Ref: 24366



PDS-H Mounting bracket Ref: 24214

LED TAPES

LED strip K-1210-12V 4.8 W/m Ref: K-1210-12V	LED strip K-1210-24V 4.8W/m Ref: K-1210-24V	LED strip K-1215- RGB-12V 7.2W/m Ref: K-1215- RGB-12V	LED strip K-1215- RGB-24V 7.2W/m Ref: K-1215-RGB-24V
LED strip K-1220-12V 9.6W/m Ref: K-1220-12V	LED strip K-1220-24V 9.6W/m Ref: K-1220-24V	LED strip K-1225- RGB-12V 11.5W/m Ref: K-1225- RGB-12V	LED strip K-1225- RGB-24V 11.5W/m Ref: K-1225-RGB-24V
LED strip K-1275-12V 14.4W/m Ref: K-1275-12V	LED strip K-1275-24V 14.4W/m Ref: K-1275-24V	LED strip K-1275- RGB-24V 14.4W/m Ref: K-1275- RGB-24V	LED strip K-1530- RGB+W-24V Ref: K-1530- RGB+W-24V



fing an Sing an Sing	fing an State an State	5466354663546	la stan, an an an an albana la sta
LED strip K-1820-HD-24V 18.2W/m Ref: K-1820-HD-24V	LED strip K-1910- HD-24V 9.1W/m Ref: K-1910-HD-24V	LED strip K-1920-120-RGB-24V 19.2W/m Ref: K-1920-120- RGB-24V	LED strip K-22/50-1728-24V 17.28W/m Ref: K-22/50-1728-24V
20	(nnnnnnýnn	ļēnenļ⊈enen∱⊈ener	(n nea in ngala neasaingan), nea i
LED strip K-27/65-1920-24V 19.2W/m Ref: K-27/65-1920-24V	LED strip K-30/18-1770-24V 11.5W/m Ref: K-30/18-1770-24V	LED strip K- LR-1000-24V 10W/m Ref: K-LR-1000-24V	LED strip LED WP- K-1220-24V 9.6W/m Ref: WP-K-1220-24V
an an air i an air i an air i an	∑natatista Xnatsista Xnatsa	gu ata≪afata∰u a	foren ange aller an ger en aller ange an
LED strip WP-1640-HD- IP65-24V 16.4W/m Ref: WP-K-1640-HD- IP65-24V	LED strip WP- K-1210-12V 4.8W/m Ref: WP-K-1210-12V	LED strip WP- K-1210-24V 4.8W/m Ref: WP-K-1210-24V	LED strip WP-K-1220- IP65-12V 9.6W/m Ref: WP-K-1220- IP65-12V
(a an (a air)), an colaidh (a an (<u>jungungung ng</u>	jaranaganakajarana jarana j	
LED strip WP-K-1220- IP65-24V 9.6 W/m Ref: WP-K-1220- IP65-24V	LED strip WP- K-1275-12V 14.4W/m Ref: WP-K-1275-12V	LED strip WP- K-1275-24V 14.4W/m Ref: WP-K-1275-24V	LED strip WP-K-1275- RGB-12V 14.4W/m Ref: WP-K-1275- RGB-12V
Lefel Tefel	<u></u>	[seat]]gan]]ean]]gan]]ean]	and a state of the
LED strip WP- K-1920-120-RGB-24V 19.2W/m Ref: WP-K-1920-120- RGB-24V	LED strip WP- K-27/65-1920-24V 19.2W/m Ref: WP- K-27/65-1920-24V	 Taśma LED WP- K-1220-12V 9.6W/m Ref: WP-K-1220-12V	Taśma LED WP-K-1910- HD-IP65-24V 9.1W/m Ref: WP-K-1910-HD- IP65-24V

MARKETING MATERIALS





Display P230-90121M Ref: 90121M



Ref: 70339



Presentation set 6 Ref: 90125