


**PRODUCT DESCRIPTION**

- Designed to reach an IP67 waterproof rating
- Minimum dimensions for 14 mm wide LED strips and to obtain a line of light
- Dedicated PDS-4-PLUS end cap - no need to cut the covers to fit the end cap
- LED strips mounted quickly and securely with the 8-KLIK silicone sleeve
- Easy and clean servicing of watertight LED strips in the profile (without tools or glue)
- Multiple additional accessories



**FINISH :**

Silver anodized

Black anodized

\*Custom colors available upon request

Fill empty fields

Product nr.	
Fixture type	
Company	
Job name	
Date	

**TECHNICAL SPECIFICATION**

**Application**

- multipurpose
- designed for the construction of indoor lighting fixtures with increased ingress protection

**Assembly**

- with mounting accessories from KLUŚ
- with fixing glues, professional double-sided adhesive tapes

**Additional information**

- possibility of making a linear fixture with IP67 protection, which means the fixture is dustproof and waterproof
- line of light obtainable with the LIGER cover an LED strip with at least 120 LED/m 9.6W
- - spece for LED strip: 14 mm

**Profile bending with covers: HS, LIGER, KA.** Can be bent in the plane adjacent to the LED strip.


Minimum internal radius	Minimum external radius
180 mm	200 mm

- minimum radius - bending radius which when exceeded causes destruction (deformation, bending or lack of compatibility with other accessories, e.g. covers, end caps, etc.) of the profile
- internal radius - refers to the profile bent so that the cover is facing the inside of the arch
- external radius - refers to the profile bent so that the cover is facing the outside of the arch
- irregular curves are possible after consultation and individual quotation
- when bending anodized profiles, one should be aware of cracking of the anode coating (which may be more or less visible depending on the radius)

## AVAILABLE LENGTHS


Ref. nr.	surface finish	available lengths
C1263ANODA_1	Silver anodized	1000 mm
C1263ANODA_2	Silver anodized	2000 mm
C1263ANODA_3	Silver anodized	3000 mm
C1263K7_1	Black anodized	1000 mm
C1263K7_2	Black anodized	2000 mm
C1263K7_3	Black anodized	3000 mm

## TECHNICAL DRAWING



**RELATED PRODUCTS**

**COVERS**



HS clear Cover  
Ref: 1370




HS frosted Cover  
Ref: 1369




KA clear Cover  
Ref: 17036




KA frosted Cover  
Ref: 17035




KA-COM clear Cover  
Ref: 17122




KA-COM frosted Cover  
Ref: 17121




KA-PRO clear Cover  
Ref: 17065



KA-PRO frosted Cover  
Ref: 17064




LIGER black Cover  
Ref: 17040



LIGER frosted Cover  
Ref: 17037


**END CAPS**




PDS-4-ALU black End cap  
Ref: 24066




PDS-4-ALU grey End cap  
Ref: 1056



PDS-4-ALU grey electricity conductive End cap  
Ref: 1407




PDS-4-ALU metalized End cap  
Ref: 24061




PDS-4-ALU-MW grey End cap  
Ref: 00026



PDS-4-ALU-OTW black End cap  
Ref: 24081



PDS-4-ALU-OTW grey End cap  
Ref: 1057



PDS-4-ALU-OTW-MW grey End cap  
Ref: 00027



PDS-4-PLUS grey  
End cap  
Ref: 24337



PDS4-ALU-OTW-MW  
black End cap  
Ref: 24162

## ACCESSORIES



6x1,2 Gland  
Ref: 00802



BZP Head  
Ref: 42213




BZP-ZO Head  
Ref: 42214



BZP-ZZ Head  
Ref: 42215




DP Fastener  
Ref: 00644



DP-MOC Fastener  
Ref: 00645



DP-MOC-ZO  
Fastener  
Ref: 00646



DP-MOC-ZZ  
Fastener  
Ref: 00647



DP-ZO Fastener  
Ref: 00649




DP-ZZ Fastener  
Ref: 00651




K5G-AB Arm  
Ref: 42051




MW Base 11x5  
Ref: 00035




MW Base 11x5  
LED  
Ref: 00036




PD-MICRO  
Connector  
Ref: 42150




PDS Mounting  
bracket  
Ref: 24223



PDS Mounting  
bracket  
Ref: 24189




PDS Mounting  
bracket zinc  
Ref: 1072



PDS Spring  
Ref: 00800



PDS-STN  
Mounting bracket  
Ref: 24190



PL-PDM Mounting  
bracket  
Ref: 24041




PUSZ-LIN-MR  
Fastener  
Ref: 42258



PUSZ-PRET-MR  
Fastener  
Ref: 42252



REG-PD-UV  
Mounting bracket  
Ref: 24270



ST Head  
Ref: 42216




ZO Head  
Ref: 42217



ZZ Head  
Ref: 42218

## LED TAPES




LED strip 8K-WP-  
K-1210-12V  
4.8W/m  
Ref: 8K-WP-  
K-1210-12V




LED strip 8K-WP-  
K-1210-24V  
4.8W/m  
Ref: 8K-WP-  
K-1210-24V



LED strip 8K-WP-  
K-1220-12V  
Ref: 8K-WP-  
K-1220-12V




LED strip 8K-WP-  
K-1220-24V 9.6  
W/m  
Ref: 8K-WP-  
K-1220-24V



LED strip 8K-WP-  
K-1275-12V  
14.4W/m  
Ref: 8K-WP-  
K-1275-12V

## MARKETING MATERIALS



Foam 70341  
Ref: 70341