

PRODUCT DESCRIPTION

- The profile height is within the thickness of one 12.5 mm drywall board
- The PDS-T profile is compatible with the PDS-ZM-PLUS profile, which enables effective transitioning of recessed lighting fixtures into suspended fixtures (ceilings at different levels, mezzanines)
- The profile is compatible with the 8-KLIK LED tape system (easy maintenance and quick mounting of IP65 LED tapes)
- The cover is cut flush with the profile
- Line of light

FINISH:

Non anodized (raw)



*Custom colors available upon request



Fill empty fields

Product nr.	
Fixture type	
Company	
Job name	
Date	

TECHNICAL SPECIFICATION

Application

- for creating simple, polygonal lighting fixtures, recessed in drywall, flush with their surface, without visible aluminum elements.

Assembly

- the profile is mounted to the drywall with screws.

Additional information


- the profile is adapted to LED tapes with a maximum width of 10 mm,
- the profile is equipped with a small "ZM" lock, thanks to which it can be connected using ZM connectors and thus create various shapes.

Application	main lighting
Specific features	possibility of obtaining a line of light
Specific features	designated to be made waterproof (IP67)
Specific features	to cover with plaster
Finish	Non anodized (raw)



place of instal	lation	indoor installation
Number of LEI) strips	1
the possibility	of bending	no

TECHNICAL DRAWING





RELATED PROFILES



PDS-ZM-PLUS Profile Ref: C2056



RELATED PRODUCTS

COVERS



HS clear Cover Ref: 1370



HS frosted Cover Ref: 1369



KA clear Cover Ref: 17036



KA frosted Cover Ref: 17035



KA-COM clear Cover Ref: 17122



KA-COM frosted Cover Ref: 17121



KA-PRO clear Cover Ref: 17065



KA-PRO frosted Cover Ref: 17064



LIGER black Cover LIGER frosted Ref: 17040



Cover Ref: 17037

END CAPS



PDS-ZM-PLUS grey End cap Ref: 24364

ACCESSORIES



6x1,2 Gland Ref: 00802



TECH-KA protective insert Ref: 17123



ZM-NA-135 Connector Ref: 42725



ZM-NA-180 Connector Ref: 42724





ZM-NA-45 Connector Ref: 42339



ZM-NA-90 Connector Ref: 42723



ZM-NA-PION-120 Connector Ref: 42321



ZM-NA-PION-135 Connector Ref: 42727



ZM-NA-PION-45 Connector Ref: 42315



ZM-NA-PION-60 Connector Ref: 42317



ZM-NA-PION-90 Connector Ref: 42726

MARKETING MATERIALS



Display P230-90206M Ref: 90206M