


PRODUCT DESCRIPTION

- Narrow line of light flush with the surface
- Designed for 16 mm thick drywall
- The lighting fixture can go from a built-in one into a suspended one
- Quick installation of LED tapes from the 8-KLIK series
- Invisible aluminum elements



FINISH :

Non anodized (raw)

*Custom colors available upon request

Fill empty fields

Product nr.

Fixture type

Company

Job name

Date

TECHNICAL SPECIFICATION

Application

- for creating narrow linear or polygonal fixtures built into drywall.

Assembly

- bolted to drywall.

Additional information

- the line of light can be obtained with a cover and a LED tape with at least 120 LEDs per meter,
- PDS-UST profile is intended for one 14 mm wide LED tape,
- the cover is cut to the length of the profile,
- can be connected into strings using ZM connectors,
- transition from a built-in lighting fixture into a suspended one made with the PDS-ZM-PLUS profile,
- TECH-22 protective insert can be used to protect the inside of the profile from contamination during assembly.

Line of light

✓ = Line of Light

X = Visible dotting


Profile:	Model LED:	HS/HS-12/HS-22 frosted	Liger/Liger-22 frosted	Liger/Liger-22 black	KA frosted	KA-PRO frosted
PDS-UST						

	1210	X	X	X	X	X
	1220	X	X	X	X	X
	1275	X	✓	X	X	X
	0530	✓	✓	✓	X	✓
	1910	✓	✓	✓	X	✓
	1820	✓	✓	✓	X	✓

AVAILABLE LENGTHS

Ref. nr.	surface finish	available lengths
C2725NA_1	Non anodized (raw)	1000 mm
C2725NA_2	Non anodized (raw)	2000 mm
C2725NA_3	Non anodized (raw)	3000 mm

TECHNICAL DRAWING



RELATED PROFILES




PDS-ZM-PLUS
Profile
Ref: C2056

RELATED PRODUCTS


COVERS

BLACK COVERS




LIGER black Cover
Ref: 17040


CLEAR COVERS




KA clear Cover
Ref: 17036



HS clear Cover
Ref: 1370




KA-COM clear
Cover
Ref: 17122




KA-PRO clear
Cover
Ref: 17065


FROSTED COVERS




KA frosted Cover
Ref: 17035




KA-PRO frosted
Cover
Ref: 17064



HS frosted Cover
Ref: 1369



KA-COM frosted
Cover
Ref: 17121



LIGER frosted
Cover
Ref: 17037

END CAPS

REGULAR END CAPS




PDS-ZM-PLUS
grey End cap
Ref: 24364

ACCESSORIES


COMPONENTS FOR CONNECTING PROFILES




ZM-NA-90
Connector
Ref: 42723



ZM-NA-135
Connector
Ref: 42725




ZM-NA-180
Connector
Ref: 42724




ZM-NA-PION-135
Connector
Ref: 42727




ZM-NA-PION-90
Connector
Ref: 42726



ZM-NA-45
Connector
Ref: 42339



ZM-NA-PION-120
Connector
Ref: 42321



ZM-NA-PION-60
Connector
Ref: 42317




ZM-NA-PION-45
Connector
Ref: 42315

SEALING COMPONENTS




6x1,2 Gland
Ref: 00802




TECH-KA
protective insert
Ref: 17123


LED TAPES




LED strip 8K-WP-
K-1210-12V
Ref: 8K-WP-
K-1210-12V




LED strip 8K-WP-
K-1210-24V
Ref: 8K-WP-
K-1210-24V




LED strip 8K-WP-
K-1220-12V
Ref: 8K-WP-
K-1220-12V



LED strip 8K-WP-
K-1220-24V
Ref: 8K-WP-
K-1220-24V



LED strip 8K-WP-
K-1275-12V
Ref: 8K-WP-
K-1275-12V



LED strip 8K-WP-
K-1275-24V
Ref: 8K-WP-
K-1275-24V