

### Concealed source of light

- Easy disassembly
- Simple design

FINISH :

Silver anodized

\*Custom colors available upon request

Product nr.

Fixture type

Company

Job name

Date

# TECHNICAL SPECIFICATION

### **Application**

- illumination of walking routes and stairs

#### Assembly

- in the groove with mounting adhesive or springs

#### **Additional information**

- the light reflection chamber may be open or covered with a frosted lens

Fill empty fields

- space for LED strip: 11.2 mm


### AVAILABLE LENGTHS

Ref. nr.	surface finish	available lengths
W4826ANODA_1	Silver anodized	1000 mm
W4826ANODA_2	Silver anodized	2000 mm
W4826ANODA_3	Silver anodized	3000 mm





## TECHNICAL DRAWING





## **RELATED PRODUCTS**

### **COVERS**



DHS clear Cover Ref: 17063



KA clear Cover Ref: 17036



KA-PRO clear Cover Ref: 17065

KA-PRO frosted Cover Ref: 17064

DHS frosted

Ref: 17052

KA frosted Cover

Ref: 17035

Cover



Ref: 1370

KA-COM clear

LIGER frosted

Ref: 17037

Cover

Ref: 17122

Cover

HS frosted Cover Ref: 1369



Cover Ref: 17121

KA-COM frosted





OBIT grey End cap Ref: 24127



**OBIT** metalized End cap Ref: 24136

### **ACCESSORIES**



6x1,2 Gland Ref: 00802



KMA Spring Ref: 00838V1




ZM-180 Connector Ref: 42717



## LED TAPES

(a∞at+la Xa∞at+la Xa∞a	200 0 ∎ 0 ⊈ 0 1 0 ∎ 0 <del>20</del> 0	English + Senglish + <sup>1</sup> + <sup>1</sup> + <sup>1</sup> + <sup>1</sup> / <sub>2</sub> + <sup>1</sup> / <sub>2</sub> + <sup>1</sup> / <sub>2</sub>	Ence of eternetic of a
LED strip K-1210-12V 4.8 W/m Ref: K-1210-12V	LED strip K-1210-24V 4.8W/m Ref: K-1210-24V	LED strip K-1215- RGB-12V 7.2W/m Ref: K-1215- RGB-12V	LED strip K-1215- RGB-24V 7.2W/m Ref: K-1215-RGB-24V
(mail@ail.mail@ail.mail	(n nor i n ných nordal vých nor i	[	F.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
LED strip K-1220-12V 9.6W/m Ref: K-1220-12V	LED strip K-1220-24V 9.6W/m Ref: K-1220-24V	LED strip K-1225- RGB-12V 11.5W/m Ref: K-1225- RGB-12V	LED strip K-1225- RGB-24V 11.5W/m Ref: K-1225-RGB-24V
խութունվունվունի	(mméonin) mon janin janaé		
LED strip K-1275-12V 14.4W/m Ref: K-1275-12V	LED strip K-1275-24V 14.4W/m Ref: K-1275-24V	LED strip K-1275- RGB-12V 14.4W/m Ref: K-1275- RGB-12V	LED strip K-1275- RGB-24V 14.4W/m Ref: K-1275-RGB-24V
ູ້ແມ່ນອອກສູ້ແມ່ນອອກຊີ້ແມ່ນອອກ	fri man fri man fri ma	fin a fin a fin	Do(\$6673))(\$6673))(\$
LED strip K-1530- RGB+W-24V Ref: K-1530-RGB+W-24V	LED strip K-1820- HD-24V 18.2W/m Ref: K-1820-HD-24V	LED strip K-1910- HD-24V 9.1W/m Ref: K-1910- HD-24V	LED strip K-1920-120- RGB-24V 19.2W/m Ref: K-1920-120- RGB-24V
in daga sa kara si na k	<sup>2</sup> 0	(	∫enninf.€enninf.€ennin
LED strip K-22/50-1728-24V 17.28W/m Ref: K-22/50-1728-24V	LED strip K-27/65-1920-24V 19.2W/m Ref: K-27/65-1920-24V	LED strip K-30/18-1770-24V 11.5W/m Ref: K-30/18-1770-24V	LED strip K- LR-1000-24V 10W/m Ref: K-LR-1000-24V





#### MARKETING MATERIALS



Display P230-90078M Ref: 90078M



Presentation set 5 Ref: 90124